

BIBLIOGRAPHY

Akoumianaki, E., Maggiore, S. M., Valenza, F., Bellani, G., Jubran, A., Loring, S. H., Pelosi, P., Talmor, D., Grasso, S., Chiumello, D., Guérin, C., Patroniti, N., Ranieri, V. M., Gattinoni, L., Nava, S., Terragni, P.-P., Pesenti, A., Tobin, M., Mancebo, J. and Brochard, L. (2014) 'The application of esophageal pressure measurement in patients with respiratory failure', *American Journal of Respiratory and Critical Care Medicine*, 189(5), pp. 520–531. doi: 10.1164/rccm.201312-2193ci.

Alvey, N. J., Hlaing, M., Piccoli, J., Kukreja, N. and Tran, T. T. (2020) 'Positive end-expiratory pressure titration via esophageal balloon monitoring in a morbidly obese patient undergoing laparoscopic nephrectomy', *Canadian Journal of Anesthesia/Journal canadien d'anesthésie*, 67(8), pp. 1086–1087. doi: 10.1007/s12630-020-01606-7.

ARDS Network. (2000) 'Ventilation with lower tidal volumes as compared with traditional tidal volumes for acute lung injury and the acute respiratory distress syndrome', *New England Journal of Medicine*, 342(18), pp. 1301–1308. doi: 10.1056/nejm200005043421801.

ARDS Definition Task Force: Ranieri, V. M., Rubenfeld, G. D., Thompson, B.T., Ferguson, N. D., Caldwell, E., Fan, E., Camporota, L., Slutsky, A. S., Antonelli, M., Anzueto, A., Beale, R., Brochard, L., Brower, R., Esteban, A., Gattinoni, L., Rhodes, Vincent, J., Bersten, A., Needham, D., Pesenti, A. (2012) 'Acute respiratory distress syndrome', *JAMA*, 307(23). doi: 10.1001/jama.2012.5669.

Arnal, J.-M., Garnero, A. and Karjaghli, M. (2015) *13 Expert Tips – Esophageal Pressure Measurement. 2nd edn*. Switzerland: Hamilton Medical AG. Available at: <https://tinyurl.com/3xc6tj3x> (Accessed: 25th August 2024).

Arthur Jr., W., Bennett Jr., W., Stanush, P. L. and McNelly, T. L. (1998) 'Factors that influence skill decay and retention: A quantitative review and analysis', *Human Performance*, 11(1), pp. 57–101. doi: 10.1207/s15327043hup1101_3.

Baedorf Kassis, E., Loring, S. H. and Talmor, D. (2018) 'Should we titrate peep based on end-expiratory transpulmonary pressure?—yes', *Annals of Translational Medicine*, 6(19), pp. 390–390. doi: 10.21037/atm.2018.06.35

Bamford, P. and Smith, G. (2017) 'LocSSIPs – the quest to improve patient safety', *Journal of the Intensive Care Society*, 18(3), pp. 180–183. doi: 10.1177/1751143717702928.

Beitler, J. R., Malhotra, A. and Thompson, B. T. (2016) 'Ventilator-induced lung injury', *Clinics in Chest Medicine*, 37(4), pp. 633–646. doi: 10.1016/j.ccm.2016.07.004.

Beitler, J. R., Sarge, T., Banner-Goodspeed, V. M., Gong, M. N., Cook, D., Novack, V., Loring, S. H. and Talmor, D. (2019) 'Effect of titrating positive end-expiratory pressure (PEEP) with an esophageal pressure-guided strategy vs an empirical high peep-FiO₂ strategy on death and days free from mechanical ventilation among patients with acute respiratory distress syndrome', *JAMA*, 321(9), p. 846. doi: 10.1001/jama.2019.0555.

Buytendijk, J. H. (1949) *Intraesophageal pressure and lung elasticity [thesis]*. University of Groningen, The Netherlands. Available at: <https://tinyurl.com/2pjkr9yx> (Accessed: 25th August 2024).

Chiumello, D., Gallazzi, E., Marino, A., Berto, V., Mietto, C., Cesana, B. and Gattinoni, L. (2011) 'A validation study of a new nasogastric polyfunctional catheter', *Intensive Care Medicine*, 37(5), pp. 791–795. doi:10.1007/s00134-011-2178-4.

Coppola, S., Pozzi, T., Busana, M., Bichi, F., Camponetti, V. and Chiumello, D. (2020) 'Oesophageal manometry and gas exchange in patients with COVID-19 acute respiratory distress syndrome', *British Journal of Anaesthesia*, 125(5). doi: 10.1016/j.bja.2020.07.045.

Fanelli, V., Vlachou, A., Ghannadian, S., Simonetti, U., Slutsky, A. S. & Zhang, H. (2013) 'Acute respiratory distress syndrome: new definition, current and future therapeutic options', *Journal of Thoracic Disease*, 5(3), pp. 326-334. doi: 10.3978/j.issn.2072-1439.2013.04.05

Garegnani, L. I., Rosón Rodriguez, P., Franco, J. V. A. and Escobar Liquitay, C. (2021) 'Esophageal pressure monitoring during mechanical ventilation in critically ill adult patients: A systematic review and meta-analysis', *Medicina Intensiva (English Edition)*, 45(7), pp. 387–394. doi: 10.1016/j.medine.2021.07.001.

Gattinoni, L., Chiumello, D., Carlesso, E. and Valenza, F. (2004) 'Bench-to-bedside review: Chest wall elastance in acute lung injury/acute respiratory distress syndrome patients', *Critical Care*, 8(5), p. 350. doi: 10.1186/cc2854.

Grieco, D. L., Chen, L. and Brochard, L. (2017) 'Transpulmonary pressure: Importance and limits', *Annals of Translational Medicine*, 5(14), pp. 285–285. doi: 10.21037/atm.2017.07.22.

Hamilton Medical AG. (2019) *Esophageal balloon catheter: Insertion and correct placement*. Available at: https://www.hamilton-medical.com/en_GB/Products/Technologies/Transpulmonary-Pressure.html (Accessed: 25th August 2024)

Hamilton Medical AG. (2020) *Esophageal balloon catheter: Advanced filling volume approach*. Available at: https://www.hamilton-medical.com/dam/jcr:4c006705-9f81-4346-97b8-d5e768a08b96/Esophageal-balloon-catheter-advanced-procedure-reference-card_quick-guide_en_10102840.00.pdf (Accessed: 25th August 2024)

Hamilton Medical AG. (2021) *Hamilton C6: The next generation of intelligent ICU ventilators*. Available at: <https://bit.ly/3SJchuu> (Accessed: 25th August 2024)

Hickin, S., Renshaw, J., Williams, R., (2013) *Crash course respiratory system*. 4th edn. London: Mosby Ltd.

Jonkman, A. H., Telias, I., Spinelli, E., Akoumianaki, E. and Piquilloud, L. (2023) 'The oesophageal balloon for respiratory monitoring in ventilated patients: Updated clinical review and practical aspects', *European Respiratory Review*, 32(168), p. 220186. doi: 10.1183/16000617.0186-2022.

Kacmarek, R. M., Villar, J., Sulemanji, D., Montiel, R., Ferrando, C., Blanco, J., Koh, Y., Soler, J. A., Martínez, D., Hernández, M., Tucci, M., Borges, J. B., Lubillo, S., Santos, A., Araujo, J. B., Amato, M. B. and Suárez-Sipmann, F. (2016) 'Open lung approach for the acute respiratory distress syndrome', *Critical Care Medicine*, 44(1), pp. 32–42. doi: 10.1097/ccm.0000000000001383.

Kallet, R. H. (2016) 'Should PEEP titration be based on chest mechanics in patients with ARDS?', *Respiratory Care*, 61(6), pp. 876–890. doi: 10.4187/respcare.04657.

Laffey, J. G., Bellani, G., Pham, T., Fan, E., Madotto, F., Bajwa, E. K., Brochard, L., Clarkson, K., Esteban, A., Gattinoni, L., van Haren, F., Heunks, L. M., Kurahashi, K., Laake, J. H., Larsson, A., McAuley, D. F., McNamee, L., Nin, N., Qiu, H., Ranieri, M., Rubenfeld, G. D., Thompson, B. T., Wrigge, H., Slutsky, A. S. and Pesenti, A. (2016) 'Potentially modifiable factors contributing to outcome from acute respiratory distress syndrome: The Lung Safe Study', *Intensive Care Medicine*, 42(12), pp. 1865–1876. doi: 10.1007/s00134-016-4571-5.

Luciani, L. (1877) *Delle oscillazioni della pressione intratoracica e intraddominale*. Torino: Tipografo di S. M. e RR. Principi. Available at: <https://tinyurl.com/mr6wwyyu> (Accessed: 25th August 2024).

Mauri, T., Yoshida, T., Bellani, G., Goligher, E. C., Carteaux, G., Rittayamai, N., Mojoli, F., Chiumello, D., Piquilloud, L., Grasso, S., Jubran, A., Laghi, F., Magder, S., Pesenti, A., Loring, S., Gattinoni, L., Talmor, D., Blanch, L., Amato, M., Chen, L., Brochard, L. and Mancebo, J. (2016) 'Esophageal and transpulmonary pressure in the clinical setting: Meaning, usefulness and perspectives', *Intensive Care Medicine*, 42(9), pp. 1360–1373. doi: 10.1007/s00134-016-4400-x.

Morataya, C., Armin, S. and Nugent, K. (2022) 'Ventilator management using esophageal balloon pressure measurements', *The Southwest Respiratory and Critical Care Chronicles*, 10(43), pp. 18–25. doi:10.12746/swrccc.v10i43.1037.

Nickson, C. (2021) *Positive end-expiratory pressure (PEEP)*, *Life in the Fast Lane*. Available at: <https://litfl.com/positive-end-expiratory-pressure/> (Accessed: 25th August 2024).

Norisue, Y., Ashworth, L., Naito, T., Kataoka, J., Takeuchi, M., Usami, S., Takada, J. and Fujitani, S. (2017) 'Impact of physician education and availability of parameters regarding esophageal pressure and transpulmonary pressure on clinical decisions involving ventilator management', *Journal of Critical Care*, 41, pp. 112–118. doi: 10.1016/j.jcrc.2017.04.021.

Pecchiari, M., Loring, S. H. and D'Angelo, E. (2013) 'Esophageal pressure as an estimate of average pleural pressure with lung or chest distortion in rats', *Respiratory Physiology & Neurobiology*, 186(2), pp. 229–235. doi: 10.1016/j.resp.2013.02.006.

Pham, T., Telias, I. and Beitler, J. R. (2020) 'Esophageal manometry', *Respiratory Care*, 65(6), pp. 772–792. doi: 10.4187/respcare.07425.

the PLeUral pressure working Group (PLUG—Acute Respiratory Failure section of the European Society of Intensive Care Medicine) et al. (2016) 'Esophageal and transpulmonary pressure in the clinical setting: meaning, usefulness and perspectives', *Intensive Care Medicine*, 42(9), pp. 1360–1373. doi: 10.1007/s00134-016-4400-x.

Piraino, T. and Cook, D.J. (2011) 'Optimal peep guided by Esophageal Balloon Manometry', *Respiratory Care*, 56(4), pp. 510–513. doi: 10.4187/respcare.00815.

Sarge, T. and Talmor, D. (2009) 'Targeting transpulmonary pressure to prevent ventilator induced lung injury', *Minerva Anestesiologica*, 75(5), pp. 293–299.

Schmidt, G. A. (2012) 'Counterpoint: Should positive end-expiratory pressure in patients with ARDS be set based on oxygenation? no', *Chest*, 141(6), pp. 1382–1384. doi: 10.1378/chest.12-0157.

Serpa Neto, A., Cardoso, S. O., Manetta, J. A., Pereira, V. G., Espósito, D. C., Pasqualucci, M. de, Damasceno, M. C. and Schultz, M. J. (2012) 'Association between use of lung-protective ventilation with lower tidal volumes and clinical outcomes among patients without acute respiratory distress syndrome', *JAMA*, 308(16), p. 1651. doi: 10.1001/jama.2012.13730.

SIDAM S.R.L. (nd) *NutriVent Multifunction nasogastric catheter: Indications for use*. Available at: <http://www.nutrivent.eu/en/indications.php> (Accessed: 25th August 2024)

SIDAM S.R.L. (2010) *Nutrivent Multifunction Naso-Gastric Catheter: Content of the Box*. Available at: <http://www.nutrivent.eu/en/pdf/Operating-instructions.pdf> (Accessed: 25th August 2024)

Slutsky, A. S. (1999) 'Lung injury caused by mechanical ventilation', *Chest*, 116, pp. 9S-15S. doi: 10.1378/chest.116.suppl_1.9S-a.

Suter, P. M., Fairley, H. B. and Isenberg, M. D. (1975) 'Optimum end-expiratory airway pressure in patients with acute pulmonary failure', *New England Journal of Medicine*, 292(6), pp. 284–289. doi: 10.1056/nejm197502062920604.

Sy, E., Rao, J., Zacharias, S., Ronco, J. J. and Lee, J. S. (2021) 'Esophageal balloon-directed ventilator management for postpneumonectomy acute respiratory distress syndrome', *Case Reports in Critical Care*, 2021, pp. 1–6. doi: 10.1155/2021/6678080.

Talmor, D., Sarge, T., Malhotra, A., O'Donnell, C. R., Ritz, R., Lisbon, A., Novack, V. and Loring, S. H. (2008) 'Mechanical ventilation guided by esophageal pressure in acute lung injury', *New England Journal of Medicine*, 359(20), pp. 2095–2104. doi: 10.1056/nejmoa0708638.

The Faculty of Intensive Care Medicine. (no date) *LocSSIPs*. Available at: <https://www.ficm.ac.uk/standardssafetyguidelinesafety/locssips> (Accessed: 25th August 2024)

Villar, J., Kacmarek, R. M., Pérez-Méndez, L. and Aguirre-Jaime, A. (2006) 'A high positive end-expiratory pressure, low tidal volume ventilatory strategy improves outcome in persistent acute respiratory distress syndrome: A randomized, controlled trial', *Critical Care Medicine*, 34(5), pp. 1311–1318. doi: 10.1097/01.ccm.0000215598.84885.01.

Woodman, S., Bearman, C. and Hayes, P. (2021) 'Understanding skill decay and skill maintenance in first responders', *Australian Journal of Emergency Management*, 10.47389/36(No 4), pp. 44–49. doi: 10.47389/36.4.44.

Yoshida, T. and Brochard, L. (2017) 'Ten tips to facilitate understanding and clinical use of esophageal pressure manometry', *Intensive Care Medicine*, 44(2), pp. 220–222. doi:10.1007/s00134-017-4906-x.